

4


3

DWG NO. 005-113110 SH 1 REV A


1

PROPRIETARY
EXCEPT AS OTHERWISE AGREED IN WRITING, THE INFORMATION AND DESIGN DISCLOSED HEREIN ARE THE PROPERTY OF SENSARAS AND MUST NOT BE COPIED OR DISTRIBUTED OUTSIDE SENSARAS EXCEPT TO AUTHORIZED PERSONS WITH A GENUINE NEED-TO-KNOW WHO BY THE USE HEREOF ACKNOWLEDGE SENSARAS OWNERSHIP AND AGREE TO MAINTAIN THIS INFORMATION AND DESIGN IN STRICT CONFIDENCE.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	08/08/13	GDM



WIRING
 INPUT: RED = 9VDC-24VDC
 BLACK = GND
 OUTPUT: WHITE = OUTPUT
 OPEN COLLECTOR NPN
 OPEN WHEN LIQUID PRESENT
 LOW WHEN AIR PRESENT
 LED ON (AIR PRESENT)
 MATERIAL: EPOXY
 ELECTRONICS: INTEGRAL
 CABLE: 2'



		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMAL ±.01 3 PLACE DECIMAL ±.005 ANGULAR ±1°		CONTR NO	005- ABD
		BREAK SHARP CORNERS .005 MAX R		BY OR APPROVED	DATE
		ALL SURFACES TO BE 125		DWN	08/08/13
		MATERIAL EPOXY		CHK	
		FINISH		DESIGN	GDM 08/08/13
NEXT ASSY	USED ON			ENGRG	
APPLICATION		DO NOT SCALE DRAWING		ENGRG	
				PROJ	GDM 08/08/13
				QA	
				MFG	

Sensaras
 0.062" ABD
 9-24V, NPN DRY, LED

SIZE	CAGE CODE	DWG NO	REV
B	6XTK9	005-113110	A

SCALE 1:1 SHEET 1 OF 1

4

3

2

1